

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Provider Number	Hospital Name
440011	BLOUNT MEMORIAL HOSPITAL

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Address 1	Address 2	Address 3
907 E LAMAR ALEXANDER PARKWAY		

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

City	State	ZIP Code
MARYVILLE	TN	37804

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

County Name	Phone Number
BLOUNT	8659837211

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Death from serious treatable complications after surgery

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death from serious treatable complications after surgery

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Collapsed lung due to medical treatment

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Collapsed lung due to medical treatment

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Breathing failure after surgery

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Breathing failure after surgery

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Serious blood clots after surgery

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious blood clots after surgery

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

A wound that splits open after surgery

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - A wound that splits open after surgery

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Accidental cuts and tears from medical treatment

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

## Serious Complications

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Serious Complications

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Death after surgery to repair a weakness in the abdominal aorta

Number of Cases Too Small

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Death after surgery to repair a weakness in the abdominal aorta

Medicare requires hospitals to have at least 25 qualifying cases to have their results reported. This hospital had less than 25 cases.

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Deaths after admission for broken hip

No Different than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Footnote - Deaths after admission for broken hip

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Deaths from Certain Conditions

Better than U.S. National Rate

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

## Footnote - Deaths from Certain Conditions

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death from serious treatable complications after surgery

107

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Death from serious treatable complications after surgery

122.31

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death from serious treatable complications after surgery

81.05

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death from serious treatable complications after surgery

163.57

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Collapsed lung due to medical treatment

7963

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment

0.60

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Collapsed lung due to medical treatment

0.23

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Collapsed lung due to medical treatment

0.97

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Breathing failure after surgery

717

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Breathing failure after surgery

8.64

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Breathing failure after surgery

3.23

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Breathing failure after surgery

14.05

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Serious blood clots after surgery

1734

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious blood clots after surgery

3.18

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious blood clots after surgery

0.00

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious blood clots after surgery

7.59

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - A wound that splits open after surgery

252

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery

1.82

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - A wound that splits open after surgery

0.00

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - A wound that splits open after surgery

3.86

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Accidental cuts and tears from medical treatment

8424

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Accidental cuts and tears from medical treatment

1.41

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Accidental cuts and tears from medical treatment

0.19

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Accidental cuts and tears from medical treatment

2.63

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

## Number of Patients - Serious Complications

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Serious Complications

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Serious Complications

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Death after surgery to repair a weakness in the abdominal aorta

19

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths after admission for broken hip

189

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths after admission for broken hip

2.76

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths after admission for broken hip

1.35

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths after admission for broken hip

4.17

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Number of Patients - Deaths from Certain Conditions

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Rate - Deaths from Certain Conditions

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Lower Estimate - Deaths from Certain Conditions

Not Available

# Blount Memorial Data

Based on Agency For Healthcare Research And Quality Measures

Higher Estimate - Deaths from Certain Conditions

Not Available